

SEMCOG Rain Gauge Network 2003 Annual Report

July 2004

SEMCOG . . . *Local Governments Advancing Southeast Michigan*

Southeast Michigan Council of Governments

SEMCOG . . . Local Governments Advancing Southeast Michigan

Mission

SEMC

OG's mission is solving regional planning problems — improving the efficiency and effectiveness of the region's local governments as well as the quality of life in Southeast Michigan. Essential functions are:

- providing a forum for addressing issues which extend beyond individual governmental boundaries by fostering collaborative regional planning, and
- facilitating intergovernmental relations among local governments and state and federal agencies.

As a regional planning partnership in Southeast Michigan, SEMCOG is accountable to local governments who join as members. Membership is open to all counties, cities, villages, townships, intermediate school districts, and community colleges in Livingston, Macomb, Monroe, Oakland, St. Clair, Washtenaw, and Wayne Counties.

Responsibilities

SEMC

OG's primary activities support local planning through use of SEMCOG's technical, data, and intergovernmental resources. In collaboration with local governments, SEMCOG has responsibility for adopting regionwide plans and policies for community and economic development, water and air quality, land use, and transportation, including approval of state and federal transportation projects. Funding for SEMCOG is provided by federal and state grants, contracts, and membership fees.

Policy decision making

All SEMCOG policy decisions are made by local elected officials, ensuring that regional policies reflect the interests of member communities. Participants serve on one or both of the policymaking bodies — the General Assembly and the Executive Committee.

Prior to policy adoption, technical advisory councils provide the structure for gaining input on transportation, environment, community and economic development, data analysis, and education. This deliberative process includes broad-based representation from local governments, the business community, environmental organizations, and other special interest and citizen groups.

SEMCOG Rain Gauge Network 2003 Annual Report

July 2004

© SEMCOG 2004

Abstract

This document reports annual precipitation amounts of the SEMCOG Rain Gauge Network for 2003, annual departures from median amounts, calculated probabilities, and annual changes from 2002. The 65-gauge network is operated by SEMCOG, with expert guidance provided by Dr. Fred Nurnberger, climatology consultant (contact Anne Ordiway, 517-394-0007).

Preparation of this document was financed by contributions from the Rain Gauge Network partners — City of Detroit, Livingston County, Macomb County, Wayne County, and SEMCOG.

Permission is granted to cite portions of this publication, with proper attribution. The first source attribution must be "SEMCOG, the Southeast Michigan Council of Governments." Subsequently, "SEMCOG" is sufficient. Reprinting in any form must include the publication's full title page.

SEMCOG

Southeast Michigan Council of Governments

Information Services

535 Griswold Street, Suite 300

Detroit, MI 48226-3602

313-961-4266 • fax 313-961-4869

www.semcog.org • infoservices@semcog.org

\$10.00

List of Data Displays

Tables

Table 1	2003 SEMCOG Summary of Precipitation (inches).....	4
Table 2	2003 Ranked Monthly and Annual Precipitation Amounts (inches)	6
Table 3	10 Highest and Lowest Ranked Monthly and Annual Precipitation Amounts (inches)	8

Figures

Figure 1	2003 Annual Precipitation	3
Figure 2	2003 Annual Departure from Median.....	9
Figure 3	Calculated Probabilities 2003 Annual Precipitation	10
Figure 4	2003 Annual Precipitation Change from 2002	11
Figure 5	SEMCOG Active Stations (June 2004)	12

2003 Summary of Annual Precipitation for the SEMCOG Recording Rain Gauge Network

Annual precipitation totals across the SEMCOG network during 2003 ranged from a high of 38.48 inches at A-05 in east-central Washtenaw County to a low of 24.17 inches at W-42 in northeastern Wayne County (Figure 1 and Tables 1 and 3). Only seven additional gauges recorded more than 34 inches, namely: two in southwest Livingston County (36.19 inches at L-10 and 34.15 inches at L-05); two in central Washtenaw County (35.40 inches at A-03 and 34.74 inches at A-01); two in southeast Oakland County (35.00 inches at O-02 and 34.52 inches at O-18); two in southeastern Wayne County (31.91 inches at W-45 and 30.91 inches at W-35, respectively); and one in southern Macomb County (34.41 inches at M-03). The regions of lowest precipitation (i.e., less than 28 inches) included: east-central (two gauges) and southeastern (one gauge) Macomb County; west-central to northeast central (four gauges) Oakland County; and northeast and east-central (six gauges) Wayne County. It should be noted that four of the six gauges in Wayne County were roof-exposure locations.

Annual precipitation departures from long-term median amounts [(for stations in the network with more than 15 years of record through 2000) (Figure 2) were mostly below the median (47 of 68 gauges, or 69 percent). Values ranged from an above-median 8.00 inches at A-05 in east-central Washtenaw County to a below-median value of 9.14 inches at W-42 in northeast Wayne County. Only three additional stations were more than four inches below the median. In general, the region extending south of a line from northwestern Livingston County to southeastern Wayne County, the southeastern area of Oakland County, and northeastern Macomb County were all above the median. The remainder of the five-county area was below the median, with isolated stations slightly above the median (about one half-inch).

Figure 3 shows the percentile ranking of each annual station total compared to historical data through 2000, based on a gamma probability distribution function. The map values represent the decimal fraction of years that total annual precipitation at that station would have been less than or equal to the 2003 amount. For example, the 0.8 isoline encloses all stations in the area where the annual amount would be less than or equal to that received in 2003 during eight years in 10. The complement of that value, .2, means that during only two years in 10 should a station be expected to record more rain than was recorded in 2003. Care must be used in interpreting the values, however, because of the relatively short periods-of-record, as short as 16 years for some stations. The widely varied nature of the precipitation amounts and departures from the median amount is reflected in the widely disparate calculated probabilities. As expected, only those areas with positive departures from the median had probabilities greater than 0.50. The highest probability value was .95 at A-05, with the others being in the range of 0.60 to 0.83. The extreme low values were at stations in northeastern and east-central Wayne County, southeastern Macomb County, and southwestern Oakland County, where calculated values were between 0.03 and 0.15. Two additional stations, one in northeastern Wayne County and one in northeastern Oakland County, showed a probability of 0.18.

Comparatively, the SEMCOG network was much wetter in 2003 than in 2002 (Figure 4). The greatest changes were recorded in southwestern Livingston County and northwest-to-southeast Oakland County, where totals were more than eight inches above the 2002 values. The extreme changes were +11.07 inches at A-02 and +10.25 inches at L-05. Totals for four nearby stations in southern Livingston County and four in northwest-to-southeast-central Oakland County were more than eight inches greater than in 2002. Two gauges in each of these counties increased nine inches or more, with the two in Livingston County nearing 10 inches (+9.95 inches at L-11 and +9.93 inches at L-10). An area centered along a southwest-to-northeast line from southwestern Livingston County to central Oakland County was more

than six inches wetter than in 2002. Only six stations were drier than in 2002; -0.90 inches at M-03 in southeastern Macomb County was the greatest negative change from 2002 to 2003.

In summary, 2003 was a highly varied year; some areas were very wet and others very dry. For many residents of the five-county area, the change was even more noticeable following the relatively dry year of 2002.

Figure 1
2003 Annual Precipitation




Table 1

2003 SEMCOG Summary of Precipitation (inches)

STA.	YEAR																STATION RELIABILITY				
																	DAYS	MONTHS	TOTAL		
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	WITH EST.	WITH EST.	MONTH EST.	MONTHS MISSING			
A-01	2003	0.70 Z	1.06 Z	2.27 Z	3.71 Z	4.43 G	2.11 D	3.26 G	5.14 C	3.82 B	2.40	3.55 A	2.29 D	34.74	28	7	4	0			
A-02	2003	0.85	1.14	2.09	3.70	4.77 B	2.94	2.53	3.67 A	4.06	2.09	3.94	2.20 C	33.98	6	3	0	0			
A-03	2003	0.61 E	1.08 Z	2.19 D	3.47 D	4.86	4.12 B	3.52 E	3.51 C	4.64	2.16	2.95 C	2.29 A	35.40	27	8	1	0			
A-05	2003	0.73 A	1.15	2.78	4.30	5.22	3.13	3.82	4.19	4.14	2.74	3.58	2.70	38.48	1	1	0	0			
L-01	2003	0.57 C	0.85 A	2.07 D	3.85 D	4.86	3.62	2.21 B	2.65	3.25 B	2.12	4.10	2.35	32.50	16	6	0	0			
L-02	2003	0.45 B	0.86 B	2.11 C	3.96 B	5.34 B	2.38	0.82	1.38 A	2.99 D	2.06 A	4.49	2.17	29.01	17	8	0	0			
L-03	2003	0.51 H	1.04 C	2.18 C	4.18 C	4.49 A	3.06 B	1.28 D	1.83 C	2.98 C	2.08 A	4.44	2.41	30.48	31	10	0	0			
L-05	2003	0.70 C	0.73 D	2.33 G	2.93 C	4.80	3.27 A	2.67	3.85 C	4.61 A	2.08	3.81	2.37	34.15	22	7	0	0			
L-06	2003	0.66 F	0.78 F	1.82 E	3.15 B	4.13 D	2.38	2.33	2.68	3.64 D	2.40	3.31	2.42 B	29.70	29	7	0	0			
L-07	2003	0.64 C	1.08 C	2.08 A	3.17 A	4.14	3.23 A	2.01	3.15 C	3.41	2.44	4.20	2.37	31.92	12	6	0	0			
L-08	2003	0.42 E	0.85 D	2.08 C	3.88	3.89	2.61 B	1.93 A	2.24 B	3.10 A	2.05 E	3.95 Z	2.38	29.38	23	8	1	0			
L-09	2003	0.45 C	0.95 E	2.39 E	3.26 F	4.48	3.64	1.84 D	2.91	3.07 D	2.25 A	4.53 A	2.67	32.44	29	8	0	0			
L-10	2003	0.59 D	0.74 C	2.45 H	3.15 G	5.53 D	3.14 C	2.29 D	3.70 Z	4.12 F	2.57 A	5.07 C	2.84 A	36.19	44	11	1	0			
L-11	2003	0.58 Z	0.65	2.00	2.64	4.22	3.85	2.26	4.12 B	3.55 A	2.14 A	4.61 A	2.32	32.94	5	4	1	0			
M-01	2003	0.44 Z	0.74 D	1.95 Z	4.01	4.40 A	2.66 G	2.36	2.10 Z	4.67	2.30	4.63	2.39	32.65	12	3	3	0			
M-02	2003	0.61 Z	1.08 B	1.73	2.86	4.46 A	3.16 A	0.70	2.60	3.61 A	1.91	2.95 A	2.13 A	27.80	7	6	1	0			
M-03	2003	0.62 B	1.39	2.61	2.53	7.62	3.15	1.13 D	3.52 A	3.95	2.34	2.82 A	2.73	34.41	8	4	0	0			
M-04	2003	0.57 Z	1.05 Z	1.71 Z	2.74 Z	4.31 Z	2.85 B	0.95 Z	2.25 Z	3.77 Z	1.95 Z	3.36 Z	2.33 Z	27.84	2	1	11	0			
M-05	2003	0.57 B	0.85 D	1.85	2.47	4.98	3.07	1.31	2.30	3.69	2.03 B	3.05 E	2.29 F	28.46	19	5	0	0			
M-06	2003	0.53 Z	1.00 Z	1.81 Z	3.82 Z	4.23 Z	1.90	1.27 Z	2.66 Z	3.77 Z	2.17 Z	3.61 Z	2.34 Z	29.11	0	0	11	0			
M-07	2003	0.43	0.94	1.69 B	4.17	3.66 B	2.00	2.40	1.97 C	3.78	2.33 B	4.36	2.17 D	29.90	13	5	0	0			
M-08	2003	0.37	1.14 B	1.96	3.87	3.88	2.46	1.96	1.72	4.04	2.44	4.17	2.28	30.29	2	1	0	0			
M-09	2003	0.53 Z	0.88 B	1.74 A	3.57	4.87	3.20 A	0.74	2.45	3.54 C	2.05	3.34	2.57	29.48	7	4	1	0			
M-10	2003	0.72	1.37 B	2.23	3.57	4.64	2.93	0.77 E	5.47	3.66 Z	2.08 C	2.40 C	2.17	32.01	13	4	1	0			
M-12	2003	0.50 Z	0.90 Z	1.93 Z	4.00 B	3.98 Z	2.25 C	2.98	2.38 Z	5.43	2.07 Z	4.66 F	2.80	33.88	11	3	6	0			
M-14	2003	0.58	1.11 A	1.89 A	3.65	3.43 B	2.79	1.07	2.74 C	4.03 A	1.89	3.93 A	2.61	29.72	9	6	0	0			
M-15	2003	0.55	1.28 F	1.97 A	2.26	5.44 B	2.39 E	0.59 B	2.29	3.71	2.23 G	2.74	2.30 B	27.75	25	7	0	0			
M-16	2003	0.53 C	1.44 G	1.75 C	2.70	5.13 A	2.88	1.17 B	2.31	3.79	2.21 E	3.00 D	2.45	29.36	25	7	0	0			
M-17	2003	0.50 Z	0.97 Z	2.03 Z	3.02 Z	5.39 Z	2.69 F	0.88 Z	2.70 Z	3.24 A	2.31 Z	3.20 A	2.41 G	29.34	15	4	8	0			
M-18	2003	0.51 D	0.93	1.91	3.03	5.06	2.55	0.67	3.02	3.68	2.31	3.03 A	2.38 F	29.08	11	3	0	0			
M-19	2003	0.55 A	1.17 E	1.74 A	1.61	5.69 B	2.61 A	0.61 A	2.69	3.87	2.31 G	3.02	2.25	28.12	18	7	0	0			
O-02	2003	0.44	0.75 D	2.11 C	3.66 B	5.94	3.11 A	1.13	3.50 Z	4.27	2.77	4.39 B	2.93 A	35.00	13	6	1	0			
O-03	2003	0.47 Z	0.85 B	1.99 G	3.65 Z	4.65 D	3.50 A	0.78 B	1.92 C	3.88	2.24	3.59 B	2.34	29.86	21	7	2	0			
O-04	2003	0.40 Z	1.07 Z	1.86 Z	3.98 Z	1.77	1.58 A	1.90 C	2.71 A	3.15	1.82	3.65 B	2.05 G	25.94	14	5	4	0			
O-05	2003	0.42 Z	1.08 Z	1.89 B	3.94 A	4.56 E	3.25 B	2.83 B	1.91 Z	3.27 A	2.32 C	3.80 Z	2.35 Z	31.62	16	7	5	0			
O-07	2003	0.46 H	1.23 E	1.87	3.12 B	4.01 Z	2.73 F	1.39	1.37	3.09	2.25	4.02 B	2.26	27.80	23	5	1	0			
O-08	2003	0.42	1.12	1.85	3.07	4.08	3.08	1.28	1.45	3.94	2.55	4.42	2.35	29.61	0	0	0	0			
O-09	2003	0.42 Z	1.20 F	1.95	3.60	3.28	1.31 A	1.78 Z	2.34	3.37 Z	2.31 E	3.10	2.23 E	26.89	17	4	3	0			
O-10	2003	0.43 E	0.91 D	1.63	2.75	2.96	2.98	1.71	2.53	2.71 A	2.36	4.62	2.23	27.82	10	3	0	0			
O-13	2003	0.47 Z	0.98 Z	2.08 Z	2.94 Z	4.13 Z	2.69 C	2.06 Z	2.59 Z	3.42 Z	2.57 Z	3.81 Z	2.37 Z	30.11	3	1	11	0			
O-16	2003	0.41 Z	0.97 Z	2.03 K	4.00 Z	4.02 Z	2.72 Z	2.25 Z	2.00 Z	3.13 Z	2.12 Z	3.79 Z	2.21 G	29.65	18	2	10	0			

Table 1 (continued)
2003 SEMCOG Summary of Precipitation (inches)

STA.	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	STATION RELIABILITY			
															DAYS WITH EST.	MONTHS WITH EST.	TOTAL MONTH EST.	MONTHS MISSING
O-18	2003	0.45 Z	0.95 Z	2.34 Z	2.97 Z	5.70 Z	2.83 Z	1.15 Z	4.11 Z	4.47 Z	2.59 Z	3.86 Z	3.10 B	34.52	2	1	11	0
O-19	2003	0.46 D	0.96 D	2.15 B	3.01 A	4.40 B	3.38	0.84	4.84	4.02	2.51	3.59	2.52	32.68	13	5	0	0
O-22	2003	0.44 B	1.23	2.59	3.35	5.95 D	3.06	1.67	2.28	3.81	2.36	3.76	2.55 C	33.05	9	3	0	0
O-24	2003	0.45 G	0.96 C	2.49	3.00	4.85 E	3.03	2.41	2.55	4.04	2.75 A	3.53	2.35	32.41	16	4	0	0
O-25	2003	0.44 Z	0.84 C	2.24 F	3.76 E	5.01 K	3.21 D	0.96 C	2.95 E	4.08 Z	2.45 E	4.08 Z	2.65 Z	32.67	42	8	4	0
O-28	2003	0.58 Z	0.94 Z	2.04 Z	2.91	4.46 B	2.06 B	2.13 H	2.93 Z	3.45 Z	2.55 Z	3.77 Z	2.40 Z	30.22	12	3	8	0
W-08	2003	0.57 A	0.95 C	2.05 B	1.96	5.45	2.16	1.61	3.10	3.90	2.43	3.03	2.32 B	29.53	8	4	0	0
W-14	2003	0.49 Z	1.35 Z	1.50 G	1.74 D	4.68 C	2.89	0.53 Z	1.87	3.32	1.91	2.65 B	2.13 G	25.06	23	5	3	0
W-15	2003	0.46 Z	1.38 Z	1.99 C	1.69	5.72 C	3.44	0.82	1.80	3.48 B	2.38	3.30 B	2.48 B	28.94	12	5	2	0
W-16	2003	0.47 Z	1.18 Z	1.86 C	2.38	4.90	1.94	2.05	4.36 A	3.84 A	2.28 A	3.15	2.42	30.83	6	4	2	0
W-18	2003	0.47 B	0.93	1.98 E	2.31	5.84	2.52	1.37 B	1.80 B	3.78 A	2.39	3.30	2.46 B	29.15	14	6	0	0
W-19	2003	0.42 C	1.46 B	2.12 C	2.15 A	5.28	1.83	2.05	2.70	3.94 A	2.17	2.84	2.36	29.32	10	5	0	0
W-20	2003	0.45 Z	1.24 Z	1.92 Z	1.71 Z	4.29 Z	1.76 C	1.34 E	3.67 G	3.36 B	1.45 E	3.50 Z	2.74 Z	27.43	22	5	7	0
W-22	2003	0.55 Z	1.03 Z	1.72 Z	2.06 Z	5.00 Z	2.12 E	1.60	2.53	4.00	2.13	2.65	2.21	27.60	5	1	5	0
W-23	2003	0.51 A	0.99 C	1.70	2.41	4.83	2.07	1.73	2.47	3.93	2.88 A	2.55	2.42 B	28.49	7	4	0	0
W-25	2003	0.46 Z	0.99 C	2.38 C	2.58 A	5.48	2.62	1.03 C	4.67 A	4.70	2.54 C	3.66 Z	2.75 C	33.86	17	7	2	0
W-27	2003	0.49 Z	0.73 E	1.92 C	2.53	4.74 A	2.16	1.06	2.83	4.28 A	2.67 A	3.13	2.27	28.81	11	5	1	0
W-29	2003	0.49 D	1.47 B	1.68 C	2.17	5.65	2.13 D	1.67 C	3.01	3.89 B	2.19	3.03 B	2.39	29.77	20	7	0	0
W-31	2003	0.48 Z	1.35 Z	1.73 Z	2.14 I	5.41 D	2.69 B	0.37 Z	3.18 A	4.14	2.17 Z	2.90 Z	2.42 Z	28.98	16	4	7	0
W-33	2003	0.46	1.39	1.94	2.11	5.60	2.66	0.48	3.15	3.97	2.37	3.03	2.74	29.90	0	0	0	0
W-35	2003	0.67	1.68 C	1.72 A	2.44	4.81 A	3.21 B	2.97 A	3.42 C	3.58 C	2.49	2.80 C	2.91 A	32.70	18	9	0	0
W-42	2003	0.52	1.36	1.62	1.66 F	4.14	2.00	0.26	2.83	3.27	1.90	2.55	2.06	24.17	6	1	0	0
W-43	2003	0.49 A	1.20	1.96 A	1.67	3.92	1.86 A	1.56 Z	3.48 Z	3.67 Z	2.03 Z	3.21 Z	2.47 Z	27.52	3	3	6	0
W-44	2003	0.58	1.62	1.80	2.47	4.76	2.91	2.66	3.69	3.63	2.40	2.44	2.62	31.58	0	0	0	0
W-45	2003	0.40 A	1.27 Z	1.90 F	1.61 E	4.29 H	2.08 A	1.53	4.13	4.55 C	2.74	3.85 C	3.09 B	31.44	29	8	1	0
W-47	2003	0.55 Z	1.07 Z	1.68 A	1.63	5.02	1.68	1.46	3.42	3.88 D	2.09	2.58	2.39	27.45	5	2	2	0
W-49	2003	0.57 Z	1.21 Z	1.71 Z	2.08 Z	4.93 Z	2.24 Z	1.96 Z	3.07 Z	3.91 Z	2.29 Z	2.90 Z	2.42 Z	29.29	0	0	12	0

Table 2

2003 Ranked Monthly and Annual Precipitation Amounts (inches)

JAN		FEB		MAR		APR		MAY		JUN		JUL		AUG		SEP		OCT		NOV		DEC		ANNUAL	
STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC
A-02	0.85	W-35	1.68	A-05	2.78	A-05	4.30	M-03	7.62	A-03	4.12	A-05	3.82	M-10	5.47	M-12	5.43	W-23	2.88	L-10	5.07	O-18	3.10	A-05	38.48
A-05	0.73	W-44	1.62	M-03	2.61	L-03	4.18	O-22	5.95	L-11	3.85	A-03	3.52	A-01	5.14	W-25	4.70	O-02	2.77	M-12	4.66	W-45	3.09	L-10	36.19
M-10	0.72	W-29	1.47	O-22	2.59	M-07	4.17	O-02	5.94	L-09	3.64	A-01	3.26	O-19	4.84	M-01	4.67	O-24	2.75	M-01	4.63	O-02	2.93	A-03	35.40
A-01	0.70	W-19	1.46	O-24	2.49	M-01	4.01	W-18	5.84	L-01	3.62	M-12	2.98	W-25	4.67	A-03	4.64	W-45	2.74	O-10	4.62	W-35	2.91	O-02	35.00
L-05	0.70	M-16	1.44	L-10	2.45	O-16	4.00	W-15	5.72	O-03	3.50	W-35	2.97	W-16	4.36	L-05	4.61	A-05	2.74	L-11	4.61	L-10	2.84	A-01	34.74
W-35	0.67	M-03	1.39	L-09	2.39	M-12	4.00	O-18	5.70	W-15	3.44	O-05	2.83	A-05	4.19	W-45	4.55	W-27	2.67	L-09	4.53	M-12	2.80	O-18	34.52
L-06	0.66	W-33	1.39	W-25	2.38	O-04	3.98	M-19	5.69	O-19	3.38	L-05	2.67	W-45	4.13	O-18	4.47	O-18	2.59	L-02	4.49	W-25	2.75	M-03	34.41
L-07	0.64	W-15	1.38	O-18	2.34	L-02	3.96	W-29	5.65	L-05	3.27	W-44	2.66	L-11	4.12	W-27	4.28	L-10	2.57	L-03	4.44	W-20	2.74	L-05	34.15
M-03	0.62	M-10	1.37	L-05	2.33	O-05	3.94	W-33	5.60	O-05	3.25	A-02	2.53	O-18	4.11	O-02	4.27	O-13	2.57	O-08	4.42	W-33	2.74	A-02	33.98
A-03	0.61	W-42	1.36	A-01	2.27	L-08	3.88	L-10	5.53	L-07	3.23	O-24	2.41	L-05	3.85	A-05	4.14	O-08	2.55	O-02	4.39	M-03	2.73	M-12	33.88
M-02	0.61	W-14	1.35	O-25	2.24	M-08	3.87	W-25	5.48	O-25	3.21	M-07	2.40	L-10	3.70	W-31	4.14	O-28	2.55	M-07	4.36	A-05	2.70	W-25	33.86
L-10	0.59	W-31	1.35	M-10	2.23	L-01	3.85	W-08	5.45	W-35	3.21	M-01	2.36	W-44	3.69	L-10	4.12	W-25	2.54	L-07	4.20	L-09	2.67	O-22	33.05
L-11	0.58	M-15	1.28	A-03	2.19	M-06	3.82	M-15	5.44	M-09	3.20	L-06	2.33	A-02	3.67	O-25	4.08	O-19	2.51	M-08	4.17	O-25	2.65	L-11	32.94
M-14	0.58	W-45	1.27	L-03	2.18	O-25	3.76	W-31	5.41	M-02	3.16	L-10	2.29	W-20	3.67	A-02	4.06	W-35	2.49	L-01	4.10	W-44	2.62	W-35	32.70
O-28	0.58	W-20	1.24	O-19	2.15	A-01	3.71	M-17	5.39	M-03	3.15	L-11	2.26	M-03	3.52	O-24	4.04	O-25	2.45	O-25	4.08	M-14	2.61	O-19	32.68
W-44	0.58	O-07	1.23	W-19	2.12	A-02	3.70	L-02	5.34	L-10	3.14	O-16	2.25	A-03	3.51	M-08	4.04	M-08	2.44	O-07	4.02	M-09	2.57	O-25	32.67
L-01	0.57	O-22	1.23	L-02	2.11	O-02	3.66	W-19	5.28	A-05	3.13	L-01	2.21	O-02	3.50	M-14	4.03	L-07	2.44	L-08	3.95	O-22	2.55	M-01	32.65
M-04	0.57	W-49	1.21	O-02	2.11	O-03	3.65	A-05	5.22	O-02	3.11	O-28	2.13	W-43	3.48	O-19	4.02	W-08	2.43	A-02	3.94	O-19	2.52	L-01	32.50
M-05	0.57	W-43	1.20	A-02	2.09	M-14	3.65	M-16	5.13	O-08	3.08	O-13	2.06	W-35	3.42	W-22	4.00	A-01	2.40	M-14	3.93	W-15	2.48	L-09	32.44
W-08	0.57	O-09	1.20	L-07	2.08	O-09	3.60	M-18	5.06	M-05	3.07	W-16	2.05	W-47	3.42	W-33	3.97	L-06	2.40	O-18	3.86	W-43	2.47	O-24	32.41
W-49	0.57	W-16	1.18	O-13	2.08	M-10	3.57	W-47	5.02	O-22	3.06	W-19	2.05	W-31	3.18	M-03	3.95	W-44	2.40	W-45	3.85	W-18	2.46	M-10	32.01
M-15	0.55	M-19	1.17	L-08	2.08	M-09	3.57	O-25	5.01	L-03	3.06	L-07	2.01	L-07	3.15	W-19	3.94	W-18	2.39	O-13	3.81	M-16	2.45	L-07	31.92
M-19	0.55	A-05	1.15	L-01	2.07	A-03	3.47	W-22	5.00	O-24	3.03	M-08	1.96	W-33	3.15	O-08	3.94	W-15	2.38	L-05	3.81	L-06	2.42	O-05	31.62
W-22	0.55	A-02	1.14	W-08	2.05	O-22	3.35	M-05	4.98	O-10	2.98	W-49	1.96	W-08	3.10	W-23	3.93	W-33	2.37	O-05	3.80	W-16	2.42	W-44	31.58
W-47	0.55	M-08	1.14	O-28	2.04	L-09	3.26	W-49	4.93	A-02	2.94	L-08	1.93	W-49	3.07	W-49	3.91	O-22	2.36	O-16	3.79	W-49	2.42	W-45	31.44
M-06	0.53	O-08	1.12	M-17	2.03	L-07	3.17	W-16	4.90	M-10	2.93	O-04	1.90	M-18	3.02	W-08	3.90	O-10	2.36	O-28	3.77	W-31	2.42	W-16	30.83
M-09	0.53	M-14	1.11	O-16	2.03	L-10	3.15	M-09	4.87	W-44	2.91	L-09	1.84	W-29	3.01	W-29	3.89	M-03	2.34	O-22	3.76	W-23	2.42	L-03	30.48
M-16	0.53	L-07	1.08	L-11	2.00	L-06	3.15	L-01	4.86	W-14	2.89	O-09	1.78	O-25	2.95	W-47	3.88	M-07	2.33	W-25	3.66	L-03	2.41	M-08	30.29
W-42	0.52	A-03	1.08	W-15	1.99	O-07	3.12	A-03	4.86	M-16	2.88	W-23	1.73	O-28	2.93	O-03	3.88	O-05	2.32	O-04	3.65	M-17	2.41	O-28	30.22
L-03	0.51	M-02	1.08	O-03	1.99	O-08	3.07	O-24	4.85	M-04	2.85	O-10	1.71	L-09	2.91	M-19	3.87	M-19	2.31	M-06	3.61	O-28	2.40	O-13	30.11
M-18	0.51	O-05	1.08	W-18	1.98	M-18	3.03	W-23	4.83	O-18	2.83	O-22	1.67	W-27	2.83	W-16	3.84	M-18	2.31	O-19	3.59	M-01	2.39	W-33	29.90
W-23	0.51	W-47	1.07	M-15	1.97	M-17	3.02	W-35	4.81	M-14	2.79	W-29	1.67	W-42	2.83	A-01	3.82	O-09	2.31	O-03	3.59	W-29	2.39	M-07	29.90
M-12	0.50	O-04	1.07	W-43	1.96	O-19	3.01	L-05	4.80	O-07	2.73	W-08	1.61	M-14	2.74	O-22	3.81	M-17	2.31	A-05	3.58	W-47	2.39	O-03	29.86
M-17	0.50	A-01	1.06	M-08	1.96	O-24	3.00	A-02	4.77	O-16	2.72	W-22	1.60	O-04	2.71	M-16	3.79	M-01	2.30	A-01	3.55	L-08	2.38	W-29	29.77
W-14	0.49	M-04	1.05	O-09	1.95	O-18	2.97	W-44	4.76	W-31	2.69	W-43	1.56	W-19	2.70	M-07	3.78	W-49	2.29	O-24	3.53	M-18	2.38	M-14	29.72

Table 2 (continued)

2003 Ranked Monthly and Annual Precipitation Amounts (inches)

JAN		FEB		MAR		APR		MAY		JUN		JUL		AUG		SEP		OCT		NOV		DEC		ANNUAL	
STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC
W-27	0.49	L-03	1.04	M-01	1.95	O-13	2.94	W-27	4.74	M-17	2.69	W-45	1.53	M-17	2.70	W-18	3.78	W-16	2.28	W-20	3.50	L-07	2.37	L-06	29.70
W-29	0.49	W-22	1.03	W-33	1.94	L-05	2.93	W-14	4.68	O-13	2.69	W-47	1.46	M-19	2.69	M-06	3.77	O-07	2.25	M-04	3.36	O-13	2.37	O-16	29.65
W-43	0.49	M-06	1.00	M-12	1.93	O-28	2.91	O-03	4.65	W-33	2.66	O-07	1.39	L-06	2.68	M-04	3.77	L-09	2.25	M-09	3.34	L-05	2.37	O-08	29.61
W-31	0.48	W-23	0.99	W-20	1.92	M-02	2.86	M-10	4.64	M-01	2.66	W-18	1.37	M-06	2.66	M-15	3.71	O-03	2.24	L-06	3.31	W-19	2.36	W-08	29.53
O-03	0.47	W-25	0.99	W-27	1.92	O-10	2.75	O-05	4.56	W-25	2.62	W-20	1.34	L-01	2.65	M-05	3.69	M-15	2.23	W-18	3.30	O-08	2.35	M-09	29.48
O-13	0.47	O-13	0.98	M-18	1.91	M-04	2.74	L-03	4.49	M-19	2.61	M-05	1.31	M-02	2.60	M-18	3.68	M-16	2.21	W-15	3.30	L-01	2.35	L-08	29.38
W-16	0.47	M-17	0.97	W-45	1.90	M-16	2.70	L-09	4.48	L-08	2.61	O-08	1.28	O-13	2.59	W-43	3.67	W-29	2.19	W-43	3.21	O-05	2.35	M-16	29.36
W-18	0.47	O-16	0.97	M-14	1.89	L-11	2.64	O-28	4.46	M-18	2.55	L-03	1.28	O-24	2.55	M-10	3.66	W-31	2.17	M-17	3.20	O-24	2.35	M-17	29.34
O-07	0.46	O-19	0.96	O-05	1.89	W-25	2.58	M-02	4.46	W-18	2.52	M-06	1.27	O-10	2.53	L-06	3.64	W-19	2.17	W-16	3.15	M-06	2.34	W-19	29.32
O-19	0.46	O-24	0.96	O-07	1.87	M-03	2.53	A-01	4.43	M-08	2.46	M-16	1.17	W-22	2.53	W-44	3.63	M-06	2.17	W-27	3.13	O-03	2.34	W-49	29.29
W-15	0.46	W-08	0.95	W-16	1.86	W-27	2.53	M-01	4.40	M-15	2.39	O-18	1.15	W-23	2.47	M-02	3.61	A-03	2.16	O-09	3.10	M-04	2.33	W-18	29.15
W-25	0.46	L-09	0.95	O-04	1.86	M-05	2.47	O-19	4.40	L-02	2.38	M-03	1.13	M-09	2.45	W-35	3.58	L-11	2.14	M-05	3.05	L-11	2.32	M-06	29.11
W-33	0.46	O-18	0.95	O-08	1.85	W-44	2.47	M-04	4.31	L-06	2.38	O-02	1.13	M-12	2.38	L-11	3.55	W-22	2.13	W-08	3.03	W-08	2.32	M-18	29.08
L-02	0.45	O-28	0.94	M-05	1.85	W-35	2.44	W-20	4.29	M-12	2.25	M-14	1.07	O-09	2.34	M-09	3.54	L-01	2.12	W-33	3.03	M-15	2.30	L-02	29.01
L-09	0.45	M-07	0.94	L-06	1.82	W-23	2.41	W-45	4.29	W-49	2.24	W-27	1.06	M-16	2.31	W-15	3.48	O-16	2.12	M-18	3.03	A-01	2.29	W-31	28.98
O-18	0.45	M-18	0.93	M-06	1.81	W-16	2.38	M-06	4.23	W-08	2.16	W-25	1.03	M-05	2.30	O-28	3.45	A-02	2.09	W-29	3.03	M-05	2.29	W-15	28.94
O-24	0.45	W-18	0.93	W-44	1.80	W-18	2.31	L-11	4.22	W-27	2.16	O-25	0.96	M-15	2.29	O-13	3.42	W-47	2.09	M-19	3.02	A-03	2.29	W-27	28.81
W-20	0.45	O-10	0.91	M-16	1.75	M-15	2.26	L-07	4.14	W-29	2.13	M-04	0.95	O-22	2.28	L-07	3.41	L-05	2.08	M-16	3.00	M-08	2.28	W-23	28.49
M-01	0.44	M-12	0.90	M-19	1.74	W-29	2.17	W-42	4.14	W-22	2.12	M-17	0.88	M-04	2.25	O-09	3.37	M-10	2.08	A-03	2.95	W-27	2.27	M-05	28.46
O-02	0.44	M-09	0.88	M-09	1.74	W-19	2.15	L-06	4.13	A-01	2.11	O-19	0.84	L-08	2.24	W-20	3.36	L-03	2.08	M-02	2.95	O-07	2.26	M-19	28.12
O-22	0.44	L-02	0.86	W-31	1.73	W-31	2.14	O-13	4.13	W-45	2.08	W-15	0.82	M-01	2.10	W-14	3.32	M-12	2.07	W-49	2.90	M-19	2.25	M-04	27.84
O-25	0.44	L-01	0.85	M-02	1.73	W-33	2.11	O-08	4.08	W-23	2.07	L-02	0.82	O-16	2.00	W-42	3.27	L-02	2.06	W-31	2.90	O-10	2.23	O-10	27.82
M-07	0.43	M-05	0.85	W-35	1.72	W-49	2.08	O-16	4.02	O-28	2.06	O-03	0.78	M-07	1.97	O-05	3.27	M-09	2.05	W-19	2.84	O-09	2.23	O-07	27.80
O-10	0.43	O-03	0.85	W-22	1.72	W-22	2.06	O-07	4.01	W-42	2.00	M-10	0.77	O-03	1.92	L-01	3.25	L-08	2.05	M-03	2.82	O-16	2.21	M-02	27.80
L-08	0.42	L-08	0.85	W-49	1.71	W-08	1.96	M-12	3.98	M-07	2.00	M-09	0.74	O-05	1.91	M-17	3.24	M-05	2.03	W-35	2.80	W-22	2.21	M-15	27.75
O-05	0.42	O-25	0.84	M-04	1.71	W-14	1.74	W-43	3.92	W-16	1.94	M-02	0.70	W-14	1.87	O-04	3.15	W-43	2.03	M-15	2.74	A-02	2.20	W-22	27.60
O-08	0.42	L-06	0.78	W-23	1.70	W-20	1.71	L-08	3.89	M-06	1.90	M-18	0.67	L-03	1.83	O-16	3.13	M-04	1.95	W-22	2.65	L-02	2.17	W-43	27.52
O-09	0.42	O-02	0.75	M-07	1.69	W-15	1.69	M-08	3.88	W-43	1.86	M-19	0.61	W-18	1.80	L-08	3.10	M-02	1.91	W-14	2.65	M-07	2.17	W-47	27.45
W-19	0.42	L-10	0.74	W-29	1.68	W-43	1.67	M-07	3.66	W-19	1.83	M-15	0.59	W-15	1.80	O-07	3.09	W-14	1.91	W-47	2.58	M-10	2.17	W-20	27.43
O-16	0.41	M-01	0.74	W-47	1.68	W-42	1.66	M-14	3.43	W-20	1.76	W-14	0.53	M-08	1.72	L-09	3.07	W-42	1.90	W-23	2.55	M-02	2.13	O-09	26.89
O-04	0.40	L-05	0.73	O-10	1.63	W-47	1.63	O-09	3.28	W-47	1.68	W-33	0.48	O-08	1.45	L-02	2.99	M-14	1.89	W-42	2.55	W-14	2.13	O-04	25.94
W-45	0.40	W-27	0.73	W-42	1.62	W-45	1.61	O-10	2.96	O-04	1.58	W-31	0.37	L-02	1.38	L-03	2.98	O-04	1.82	W-44	2.44	W-42	2.06	W-14	25.06
M-08	0.37	L-11	0.65	W-14	1.50	M-19	1.61	O-04	1.77	O-09	1.31	W-42	0.26	O-07	1.37	O-10	2.71	W-20	1.45	M-10	2.40	O-04	2.05	W-42	24.17


Table 3

10 Highest and Lowest Ranked Monthly and Annual Precipitation Amounts (inches)

JAN		FEB		MAR		APR		MAY		JUN		JUL		AUG		SEP		OCT		NOV		DEC		ANNUAL	
STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC	STA	PREC
HIGHEST 10 VALUES																									
A-02	0.85	W-35	1.68	A-05	2.78	A-05	4.30	M-03	7.62	A-03	4.12	A-05	3.82	M-10	5.47	M-12	5.43	W-23	2.88	L-10	5.07	O-18	3.10	A-05	38.48
A-05	0.73	W-44	1.62	M-03	2.61	L-03	4.18	O-22	5.95	L-11	3.85	A-03	3.52	A-01	5.14	W-25	4.70	O-02	2.77	M-12	4.66	W-45	3.09	L-10	36.19
M-10	0.72	W-29	1.47	O-22	2.59	M-07	4.17	O-02	5.94	L-09	3.64	A-01	3.26	O-19	4.84	M-01	4.67	O-24	2.75	M-01	4.63	O-02	2.93	A-03	35.40
A-01	0.70	W-19	1.46	O-24	2.49	M-01	4.01	W-18	5.84	L-01	3.62	M-12	2.98	W-25	4.67	A-03	4.64	W-45	2.74	O-10	4.62	W-35	2.91	O-02	35.00
L-05	0.70	M-16	1.44	L-10	2.45	O-16	4.00	W-15	5.72	O-03	3.50	W-35	2.97	W-16	4.36	L-05	4.61	A-05	2.74	L-11	4.61	L-10	2.84	A-01	34.74
W-35	0.67	M-03	1.39	L-09	2.39	M-12	4.00	O-18	5.70	W-15	3.44	O-05	2.83	A-05	4.19	W-45	4.55	W-27	2.67	L-09	4.53	M-12	2.80	O-18	34.52
L-06	0.66	W-33	1.39	W-25	2.38	O-04	3.98	M-19	5.69	O-19	3.38	L-05	2.67	W-45	4.13	O-18	4.47	O-18	2.59	L-02	4.49	W-25	2.75	M-03	34.41
L-07	0.64	W-15	1.38	O-18	2.34	L-02	3.96	W-29	5.65	L-05	3.27	W-44	2.66	L-11	4.12	W-27	4.28	L-10	2.57	L-03	4.44	W-20	2.74	L-05	34.15
M-03	0.62	M-10	1.37	L-05	2.33	O-05	3.94	W-33	5.60	O-05	3.25	A-02	2.53	O-18	4.11	O-02	4.27	O-13	2.57	O-08	4.42	W-33	2.74	A-02	33.98
A-03	0.61	W-42	1.36	A-01	2.27	L-08	3.88	L-10	5.53	L-07	3.23	O-24	2.41	L-05	3.85	A-05	4.14	O-08	2.55	O-02	4.39	M-03	2.73	M-12	33.88
LOWEST 10 VALUES																									
O-10	0.43	O-03	0.85	W-22	1.72	W-22	2.06	O-07	4.01	W-42	2.00	M-10	0.77	O-03	1.92	L-01	3.25	L-08	2.05	M-03	2.82	O-16	2.21	M-02	27.80
L-08	0.42	L-08	0.85	W-49	1.71	W-08	1.96	M-12	3.98	M-07	2.00	M-09	0.74	O-05	1.91	M-17	3.24	M-05	2.03	W-35	2.80	W-22	2.21	M-15	27.75
O-05	0.42	O-25	0.84	M-04	1.71	W-14	1.74	W-43	3.92	W-16	1.94	M-02	0.70	W-14	1.87	O-04	3.15	W-43	2.03	M-15	2.74	A-02	2.20	W-22	27.60
O-08	0.42	L-06	0.78	W-23	1.70	W-20	1.71	L-08	3.89	M-06	1.90	M-18	0.67	L-03	1.83	O-16	3.13	M-04	1.95	W-22	2.65	L-02	2.17	W-43	27.52
O-09	0.42	O-02	0.75	M-07	1.69	W-15	1.69	M-08	3.88	W-43	1.86	M-19	0.61	W-18	1.80	L-08	3.10	M-02	1.91	W-14	2.65	M-07	2.17	W-47	27.45
W-19	0.42	L-10	0.74	W-29	1.68	W-43	1.67	M-07	3.66	W-19	1.83	M-15	0.59	W-15	1.80	O-07	3.09	W-14	1.91	W-47	2.58	M-10	2.17	W-20	27.43
O-16	0.41	M-01	0.74	W-47	1.68	W-42	1.66	M-14	3.43	W-20	1.76	W-14	0.53	M-08	1.72	L-09	3.07	W-42	1.90	W-23	2.55	M-02	2.13	O-09	26.89
O-04	0.40	L-05	0.73	O-10	1.63	W-47	1.63	O-09	3.28	W-47	1.68	W-33	0.48	O-08	1.45	L-02	2.99	M-14	1.89	W-42	2.55	W-14	2.13	O-04	25.94
W-45	0.40	W-27	0.73	W-42	1.62	W-45	1.61	O-10	2.96	O-04	1.58	W-31	0.37	L-02	1.38	L-03	2.98	O-04	1.82	W-44	2.44	W-42	2.06	W-14	25.06
M-08	0.37	L-11	0.65	W-14	1.50	M-19	1.61	O-04	1.77	O-09	1.31	W-42	0.26	O-07	1.37	O-10	2.71	W-20	1.45	M-10	2.40	O-04	2.05	W-42	24.17

Figure 2

2003 Annual Departure from Median Annual Precipitation



SEMCOG

Southeast Michigan Council of Governments
 535 Griswold, Suite 300
 Detroit, MI 48226 (313) 961-4266
www.semco.org
 © SEMCOG 2004

Figure 3
Calculated Probabilities
2003 Annual Precipitation




Figure 4
2003 Annual Precipitation
Change from 2002





Figure 5
SEMCOG Active Stations
(June 2004)



**SEMCOG Officers
2004-2005**

Joan Flynn
Chairperson
*Commissioner,
Macomb County*

Gregory Pitoniak
First Vice Chairperson
*Mayor,
City of Taylor*

Mary Blackmon
Vice Chairperson
*Member, Wayne County
Regional Education
Service Agency*

John F. Jones
Vice Chairperson
*Supervisor,
Ira Township*

Chuck Moss
Vice Chairperson
*Commisioner,
Oakland County*

Barbara Urban
Vice Chairperson
*Trustee,
Charter Township
of Harrison*

Maryann Mahaffey
Immediate Past Chair
*Council President,
City of Detroit*

Paul E. Tait
Executive Director